

# Cordless Telephones

<b>Cordless Model</b>	<b>Jack</b>	<b>Amplification</b>	<b>Answering Machine</b>	<b>Battery Backup</b>	<b>Caller ID</b>	<b>Technology</b>	<b>Loud Ringer</b>	<b>Visual Ringer</b>	<b>Speakerphone</b>	<b>Tone Control</b>	<b>Volume Control</b>	<b>Speed Dial</b>
<b>AMER-C440</b>	2.5, 3.5	30dB	x	x	2.4GHz	x	x					11
<b>AMER-C600</b>	2.5, 3.5	30dB	x	x	2.4GHz	x	x			x		1
<b>CL-C4105</b>	2.5, 3.5	40dB	x		2.4GHz	x	x		x	x		
<b>CL-C420</b>	2.5	30dB	x	x	900MHz	x	x					13
<b>CL-C4205</b>	2.5, 3.5	50dB	x		2.4GHz	x	x		x	x		3
<b>CL-C4210</b>	2.5, 3.5	50dB	x	x	2.4GHz	x	x		x	x		
<b>CL-C4220</b>	2.5, 3.5	50dB			5.8GHz	88dB	x	x	x			
<b>CL-C4230</b>	2.5, 3.5	50dB	x	x	x	5.8GHz	88dB	x	x	x		
<b>CL-W425</b>	2.5	30dB	x		900MHz	x	x					3
<b>GE-PHONE1</b>		20dB		x	2.4GHz		x					
<b>GE-PHONE2</b>	2.5	audio boost	x		x	DECT6.0		x	x			
<b>GE-PHONE5</b>	2.5	40dB			x	DECT6.0	95dB	x	x	x		
<b>GE-PHONE6</b>	2.5	40dB	x	x	x	DECT6.0	95dB	x	x	x		
<b>HC-A300</b>	2.5	25dB	x		x	DECT6.0	85dB	x	x		x	5
<b>HC-A55</b>	2.5, 3.5	50dB			x	900MHz	90dB	x		x	x	
<b>HC-AMPLI250</b>	2.5	40dB			x		95dB	x		x		
<b>HC-PHONE2</b>	2.5	30dB			x	2.4GHz						
<b>HC-PHONE3</b>	2.5, 3.5	30dB			x	2.4GHz	x		x			
<b>HC-PHONE4</b>	3.5	30dB	x		x	2.4GHz					x	



# Corded Telephones

Corded Model	Jack	Amplification	Answering Machine	Battery Backup	Caller ID	Technology	Loud Ringer	Visual Ringer	Speakerphone	Tone Control	Volume Control	Speed Dial
AMER-JV35	3.5	37dB	x			x	x		x			13
AMER-P300	3.5	18dB				75dB	x					9
AMER-VCOP	3.5	30dB	x	x		85dB	x		x			6
AMER-XL30	3.5	30dB				x	x		x	x		12
AMER-XL40	3.5	43dB	x			95dB	x		x	x		12
AMER-XL50	3.5	60dB	x			95dB	x		x	x		11
CL-C200		26dB				x	x					
CL-C2210	2.5, 3.5	50dB			x	95dB	x		x	x		2
CL-C320	2.5, 3.5	30dB	x			x	x					13
CL-C510	2.5, 3.5	30dB			x	x	x		x			
CL-P400	3.5	26dB	x				x					9
CS-TALK500		40dB			x	x	x	x	x			3
FC-PIC-PHONE		40dB					x			x		11
FC-SOS-PHONE		40dB			x	90dB	x	x	x	x		2
GE-PHONE3	2.5, 3.5	40dB	x			90dB	x	x	x			7
GE-PHONE4	2.5, 3.5	40dB	x	x		90dB	x	x	x			16
GE-PHONE7		23dB				90dB	x	x		x		13
HC-AMPLI1100B		30dB					x		x	x		12
HC-AMPLI200		35dB	x				x	x	x			12

# Corded Telephones

<b>Corded Model</b>	<b>Jack</b>	<b>Amplification</b>	<b>Answering Machine</b>	<b>Battery Backup</b>	<b>Caller ID</b>	<b>Technology</b>	<b>Loud Ringer</b>	<b>Visual Ringer</b>	<b>Speakerphone</b>	<b>Tone Control</b>	<b>Volume Control</b>	<b>Speed Dial</b>
<b>HC-AMPLI500B</b>	2.5, 3.5	50dB			x	95dB	x	x	x			11
<b>HC-AMPLI500W</b>	2.5, 3.5	50dB			x	95dB	x	x	x			11
<b>HC-AMPLI600</b>	2.5, 3.5	50dB			x	95dB	x	x	x	x		9
<b>HC-AMPLIVOICE50</b>		12dB		x	x		x	x		x		3
<b>HC-CSC48</b>		40dB				x	x		x	x		3
<b>HC-CSC600</b>	2.5, 3.5	50dB			x	95dB	x	x	x	x		6
<b>HC-CST25</b>		25dB			x	x	x	x	x	x		
<b>HC-HD30P</b>		26dB				90dB	x		x			9
<b>HC-HD40P</b>		26dB				90dB	x	x	x			9
<b>HC-HD60</b>	3.5	55dB		x		95dB	x		x			12
<b>HC-HD60J</b>	3.5	55dB		x		95dB	x		x			13
<b>HC-PHOTO50</b>	2.5, 3.5	40dB	x				x	x	x	x		13
<b>HC-RE40</b>	3.5	40dB				x	x	x	x	x		13
<b>HC-RE50</b>	3.5	50dB				x	x	x	x	x		13
<b>HC-ST150</b>	2.5	52dB			x			x		x		7
<b>HC-ST250</b>	2.5	52dB			x			x		x		4
<b>HC-ST50</b>	3.5	52dB			x	85dB	x	x	x			3
<b>HC-TALK-500ER</b>		40dB			x	90dB	x	x	x	x		2
<b>HC-WCSC600</b>	2.5, 3.5	50dB			x	95dB	x	x	x	x		6

